

Certificate of Product Approval

Certificate Number: 164h

Issue: 15

Hochiki Europe (UK) Ltd

Grosvenor Road
Gillingham Business Park
Gillingham
Kent
ME8 0SA
United Kingdom

is certified by BRE Global Ltd. and is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirement(s) of the standards as detailed below:

Products

Alarm Warning Devices

YBO-BS
YBO-BS(WHT)
CHQ-WS2
CHQ-WS2(WHT)
CHQ-WS2/W
YBO-BS2
YBO-BS2(WHT)
YBO-BS2(BLK)
(Refer to Appendix for details)

Standards

EN 54-3:2014 + A1:2019

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Z Major

Verifier

4 March 2024

Date of Issue

21 July 2006

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 164h

Issue: 15

Hochiki Europe (UK) Ltd

Certified Product	Description	LPCB Ref.No.
YBO-BS	Intelligent Analogue Addressable Type A Base Sounder (YBN-R/3, YBN-R/3(WHT), YBO-R/SCI(RED) bases) Note: 1. Meets the requirements of EN 54-3 for tones 1 to 51 listed under Approved Tones.	164h/01
YBO-BS(WHT)	Intelligent Analogue Addressable Type A Base Sounder – White Version (YBN-R/3, YBN-R/3(WHT), YBO-R/SCI(RED) bases) Note: 1. Meets the requirements of EN 54-3 for tones 1 to 51 listed under Approved Tones.	164h/01
CHQ-WS2	Intelligent Analogue Addressable Type A Wall Sounder (YBN-R/3(WHT)-SCI, YBO-R/3(RED), YBO-R/3(WHT), YBO-R/SCI(RED) bases) Note: 1. Meets the requirements of EN 54-3 for tones 1 to 51 listed under Approved Tones.	164h/02
CHQ-WS2(WHT)	Intelligent Analogue Addressable Type A Wall Sounder – White Version (YBN-R/3(WHT)-SCI, YBO-R/3(RED), YBO-R/3(WHT) bases) Note: 1. Meets the requirements of EN 54-3 for tones 1 to 51 listed under Approved Tones.	164h/02
CHQ-WS2/W	Intelligent Analogue Addressable Type B Wall Sounder - Weatherproof Version (YBN-R/3(WHT)-SCI, YBO-R/3(RED), YBO-R/3(WHT), YBO-R/SCI(RED) bases) Notes: 1. Meets the requirements of EN 54-3 for tones 1 to 51 listed under Approved Tones. 2. Includes a WS2-WPK weatherproofing kit	164h/02
YBO-BS2	Intelligent Analogue Addressable Type A Base Sounder - Ivory Version (YBV-R/4 and YBN-R/3 bases)	164h/06

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Z Major

Verifier

4 March 2024

Date of Issue

21 July 2006

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.




Appendix to Certificate No: 164h

Issue: 15

Hochiki Europe (UK) Ltd

Certified Product	Description	LPCB Ref.No.
	Note: 1. Meets the requirements of EN 54-3 for all 56 tones	
YBO-BS2(WHT)	Intelligent Analogue Addressable Type A Base Sounder - White Version (YBV-R/4(WHT) and YBN-R/3(WHT) bases) Note: 1. Meets the requirements of EN 54-3 for all 56 tones	164h/06
YBO-BS2(BLK)	Intelligent Analogue Addressable Type A Base Sounder - Black Version (YBV-R/4(BLK) and YBN-R/3(BLK) bases) Note: 1. Meets the requirements of EN 54-3 for all 56 tones	164h/06

Approved Tones

- 1 - 925 Hz : 250 ms / 628 Hz : 250 ms
- 2 - 925 Hz Continuous
- 3 - 628 Hz Continuous
- 4 - (French) 554 Hz : 100 ms / 440 Hz : 400 ms
- 5 - (Swedish) 660 Hz : 150 ms / Off : 150 ms
- 6 - 925 Hz : 150 ms / Off : 600 ms
- 7 - 670 Hz : 250 ms / 845 Hz : 370 ms
- 8 - Whoop 500 Hz - 1200 Hz : 3000 ms / Off : 500 ms
- 9 - 1200 Hz : 500 ms / 500 Hz : 500 ms
- 10 - 970 Hz : 500 ms / Off : 500 ms
- 11 - Sweep 800 Hz - 970 Hz over 140 ms (7 Hz)
- 12 - Sweep 800 Hz - 970 Hz over 1000 ms (1 Hz)
- 13 - Sweep 800 Hz - 970 Hz over 20 ms (50 Hz)
- 14 - Sweep 2400 Hz - 2850 Hz over 140 ms (7 Hz)
- 15 - Sweep 2400 Hz - 2850 Hz over 1000 ms (1 Hz)
- 16 - Sweep 300 Hz - 1200 Hz over 1000 ms (1 Hz)
- 17 - ISO8201 : 970 Hz : 500 ms / Off : 500 ms
- 18 - ISO8201 : 2850 Hz : 500 ms / Off : 500 ms

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Z Major

Verifier

4 March 2024

Date of Issue

21 July 2006

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.




Appendix to Certificate No: 164h

Issue: 15

Hochiki Europe (UK) Ltd

- 19 – 800 Hz : 250 ms / 970 Hz : 250 ms
20 – 2850 Hz Continuous
21 - 2400 Hz : 250 ms / 2850 Hz : 250 ms
22 - 800 Hz : 500 ms / 970 Hz : 500 ms
23 - 2850 Hz : 500 ms / Off : 500 ms
24 - 925 Hz : 250 ms / Off : 1000 ms
25 - 970 Hz Continuous
26 - 660 Hz : 1800 ms / Off: 1800 ms
27 - 660 Hz : 6500 ms / Off : 13000 ms
28 - 660 Hz Continuous
29 - 554 Hz : 500 ms / 440 Hz : 500 ms
30 - 660 Hz : 500 ms / Off : 500 ms
31 - 2850 Hz : 150 ms / Off : 100 ms
32 - Sweep 2400 Hz - 2850 Hz over 20 ms (50 Hz)
33 - Sweep 800 Hz - 970 Hz over 500 ms (2 Hz)
34 - 988 Hz : 250 ms / 645 Hz : 250 ms
35 - 510 Hz : 250 ms / 610 Hz : 250 ms
36 - Sweep 800 Hz - 970 Hz over 110 ms (9 Hz)
37 - Sweep 800 Hz - 970 Hz over 330 ms (3 Hz)
38 - 845 Hz Continuous
39 - 970 Hz : 1000 ms / Off : 1000 ms
40 - 800 Hz : 150 ms / 970 Hz : 150 ms
41 - Sweep 2400 Hz - 2850 Hz over 110 ms (9 Hz)
42 - Sweep 2400 Hz - 2850 Hz over 330 ms (3 Hz)
43 - 2850 Hz : 1000 ms / Off : 1000 ms
44 - 2400 Hz : 150 ms / 2850 Hz : 150 ms
45 - (German) Whoop 1200 Hz - 500 Hz : 1000ms / Off : 10 ms
46 - 440 Hz : 600 ms / Off : 600 ms
47 - Whoop 500 Hz - 1200 Hz : 3750 ms / Off : 250 ms
48 - ISO8201 : 925 Hz, 628 Hz : 250 ms / Off 500 ms
49 - ISO8201 : Sweep 300 Hz - 1200 Hz : 500 ms / Off : 500 ms
50 - ISO8201 : Sweep 1200 Hz - 300 Hz : 500 ms / Off : 500 ms
51 - Whoop 500-1200 3500 ms / Off 500 ms

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Z Major

Verifier

4 March 2024

Date of Issue

21 July 2006

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 164h

Issue: 15

Hochiki Europe (UK) Ltd

- 53 - Marine 1000Hz (1s on, 1s off)x7 + (7s on, 1s off)
- 54 - Whoop 1200 Hz - 500 Hz : 1000ms
- 55 - Ramp up 150 Hz - 1000 Hz : 10s. 1000 Hz 40s. Ramp down 1000 Hz - 150 Hz: 10s.
- 56 - 725 Hz Continuous
- 57 - 725 Hz : 700 ms / Off : 300 ms

Bases

YBN-R/3	Standard Base
YBN-R/3(WHT)	Standard Base
YBN-R/3(BLK)	Standard Base
YBN-R/3(WHT)-SCI	Short Circuit Isolator Base
YBO-R/3(WHT)	Standard Base
YBO-R/3(RED)	Standard Base
YBO-R/SCI(RED)	Short Circuit Isolator Base
YBV-R/4	Standard Base
YBV-R/4(WHT)	Standard Base
YBV-R/4(BLK)	Standard Base

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Z Major

Verifier

4 March 2024

Date of Issue

21 July 2006

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 164h

Issue: 15

Hochiki Europe (UK) Ltd

Alternative Model No./Label

LPCB Ref No.	Model No.	Alternative Model No./Label	Cross-listed company	Cross-Listed Co Cert./ Ref No.
164h/01	YBO-BS(WHT)	YBO-BS(HFP)	Hochiki Europe (UK) Ltd	164h/01
164h/01	YBO-BS(WHT)	KS-BSND	Kentec Electronics Limited	164h-(cl-3)
164h/02	CHQ-WS2	CHQ-WS2(HFP)	Hochiki Europe (UK) Ltd	164h/02
164h/02	CHQ-WS2	KS-WSND2-RED	Kentec Electronics Limited	164h-(cl-3)
164h/06	YBO-BS2(WHT)	YBO-BS2(HFP)	Hochiki Europe (UK) Ltd	164h/06
164h/06	YBO-BS2(WHT)	KS-BSND2	Kentec Electronics Limited	164h-(cl-3)

Bases

LPCB Ref No.	Model No.	Alternative Model No./Label	Cross-listed company	Cross-Listed Co Cert./ Ref No.
164	YBN-R/3(WHT)	KS-BASE-3T	Kentec Electronics Limited	164
164	YBN-R/3(WHT)-SCI	KS-BASE-3T-SCI	Kentec Electronics Limited	164
164	YBV-R/4(WHT)	KS BASE-4T	Kentec Electronics Limited	164
164	YBO-R/3(RED)	KS-BASE-WS-RED	Kentec Electronics Limited	164

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd

Z Major

Verifier

4 March 2024

Date of Issue

21 July 2006

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre